	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	L2	2	1 same amide	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/28 07:43			0
2	BRS	L1	13	cycli$3 same conotoxin	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/28 07:53			0
3	BRS	L3	2909995	MVIA or GVIA or SVIB or SVIA or TVIA or MVIIC or GVIIA or GVIIB or PVIIA or GS or GI or IMI or PNIA or PNAB or SII or MII or GIIIA or GIIIB or GIIIC or PIIIA	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/28 07:57			0
4	BRS	L4	6	1 same 3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/28 07:57			0
5	BRS	L5	2118	peptide adj linker	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/28 07:57			0
6	BRS	L6	1	1 same 5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/28 07:58			0
7	BRS	L7	0	(prepar$5 or synthesi$2) same 1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/28 08:00			0
8	BRS	L9	0	craik adj david adj james.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/28 08:00			0
9	BRS	L10	0	david adj james adj craik.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/28 08:01			0
10	BRS	L11	0	daly adj norelle.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/28 08:01			0
11	BRS	L12	0	daly adj norelle adj lee.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/28 08:01			0
12	BRS	L13	1	nielsen adj katherine.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/28 08:02			0
13	BRS	L8	1	craik adj david.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/28 08:05			0
14	BRS	L14	0	craik adj james adj david.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/28 08:04			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
15	BRS	L16	4	craik adj d adj j.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/28 08:06			0

```
FILE 'HOME' ENTERED AT 08:11:08 ON 28 MAR 2003

=> file medline caplus biosis embase scisearch agricola
COST IN U.S. DOLLARS                            SINCE FILE      TOTAL
                                                   ENTRY    SESSION
FULL ESTIMATED COST                                 0.21       0.21

FILE 'MEDLINE' ENTERED AT 08:11:38 ON 28 MAR 2003

FILE 'CAPLUS' ENTERED AT 08:11:38 ON 28 MAR 2003
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'BIOSIS' ENTERED AT 08:11:38 ON 28 MAR 2003
COPYRIGHT (C) 2003 BIOLOGICAL ABSTRACTS INC.(R)

FILE 'EMBASE' ENTERED AT 08:11:38 ON 28 MAR 2003
COPYRIGHT (C) 2003 Elsevier Science B.V.  All rights reserved.

FILE 'SCISEARCH' ENTERED AT 08:11:38 ON 28 MAR 2003
COPYRIGHT (C) 2003 Institute for Scientific Information (ISI) (R)

FILE 'AGRICOLA' ENTERED AT 08:11:38 ON 28 MAR 2003

=> s cycli? conotoxin
L1             1 CYCLI? CONOTOXIN

=> d l1 1 ibib abs

L1   ANSWER 1 OF 1  CAPLUS  COPYRIGHT 2003 ACS
ACCESSION NUMBER:         2000:191100  CAPLUS
DOCUMENT NUMBER:          132:237373
TITLE:                    Preparation of   ***cyclized***     ***conotoxin***
                          peptides
INVENTOR(S):              Craik, David James; Daly, Norelle Lee; Nielsen,
                          Katherine Justine
PATENT ASSIGNEE(S):       University of Queensland, Australia
SOURCE:                   PCT Int. Appl., 43 pp.
                          CODEN: PIXXD2
DOCUMENT TYPE:            Patent
LANGUAGE:                 English
FAMILY ACC. NUM. COUNT:   1
PATENT INFORMATION:

     PATENT NO.        KIND  DATE           APPLICATION NO.  DATE
     ---------------   ----  --------       ---------------  --------
     WO 2000015654      A1   20000323       WO 1999-AU769    19990914
         W:  AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU,
             CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL,
             IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD,
             MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK,
             SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ,
             BY, KG, KZ, MD, RU, TJ, TM
         RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE,
             DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF,
             CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
     AU 9960705         A1   20000403       AU 1999-60705    19990914
     AU 747006          B2   20020509
     EP 1129106         A1   20010905       EP 1999-947111   19990914
         R:  AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO
PRIORITY APPLN. INFO.:                  AU 1998-5895     A  19980914
                                        WO 1999-AU769    W  19990914
AB     ***Cyclized***     ***conotoxin***   peptides were prepd. for the
     therapeutic treatment of mammals.  Thus, cyclo[CKGKGAKCSRLMYDCCTGSCRSGKCTR
     NGLPG], a cyclic analog of MVIIA having the linking moiety TRNGLPG, was
     prepd. by the solid-phase method.
REFERENCE COUNT:          2     THERE APE 2 CITED REFERENCES AVAILABLE FOR THIS
```

RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

```
=> s conotoxin
L2        14277 CONOTOXIN

=> s l2 (p) cycli?
   5 FILES SEARCHED...
L3          333 L2 (P) CYCLI?

=> s l3 (p) amide
L4            2 L3 (P) AMIDE

=> duplicate remove l4
DUPLICATE PREFERENCE IS 'CAPLUS, SCISEARCH'
KEEP DUPLICATES FROM MORE THAN ONE FILE?  Y/(N):n
PROCESSING COMPLETED FOR L4
L5            1 DUPLICATE REMOVE L4 (1 DUPLICATE REMOVED)

=> s l5 not l1
L6            1 L5 NOT L1

=> d l6 1 ibib abs

L6   ANSWER 1 OF 1  CAPLUS  COPYRIGHT 2003 ACS
ACCESSION NUMBER:         1994:31193  CAPLUS
DOCUMENT NUMBER:          120:31193
TITLE:                    Synthesis of .alpha.-conotoxin SI, a bicyclic
                          tridecapeptide amide with two disulfide bridges:
                          illustration of novel protection schemes and oxidation
                          strategies
AUTHOR(S):                Munson, Mark C.; Barany, George
CORPORATE SOURCE:         Dep. Chem., Univ. Minnesota, Minneapolis, MN, 55455,
                          USA
SOURCE:                   Journal of the American Chemical Society (1993),
                          115(22), 10203-10
                          CODEN: JACSAT; ISSN: 0002-7863
DOCUMENT TYPE:            Journal
LANGUAGE:                 English
AB   Several routes are described and compared for the synthesis of .alpha.-
       ***conotoxin***   SI, a tridecapeptide   ***amide***   of sequence
     H-Ile-Cys2-Cys3-Asn-Pro-Ala-Cys7-Gly-Pro-Lys-Tyr-Ser-Cys13-NH2, with
     bicyclic disulfides connecting Cys2 with Cys7, and Cys3 with Cys13.  The
     linear sequence was assembled smoothly on tris(alkoxy)benzylamide (PAL)
     supports, using stepwise 9-fluorenylmethoxycarbonyl (Fmoc) solid-phase
     chem.  Side-chain protection of Cys was provided by S-2,4,6-
     trimethoxybenzyl (Tmob) at four positions or by suitable pairwise
     combinations of S-Tmob and S-acetamidomethyl (Acm).  Acidic
     cleavage/deprotection of these peptide resins with trifluoroacetic acid
     (TFA)-CH2Cl2-Et3SiH-H2O-anisole (95:4:0.5:0.5:0.5), at 25.degree. for 2 h
     gave the corresponding peptide   ***amides***   in high yields (90-97%);
     those Cys residues originally blocked by S-Tmob were converted to the free
     sulfhydryls, whereas Cys(Acm) residues remained blocked.  The fully
     deprotected linear tetrasulfhydryl   ***conotoxin***   was oxidized
     successfully in dil. pH 7.5 soln. in the presence of 1% (vol./vol.) DMSO
     at 25.degree. for 7 h, providing monomeric bicyclic peptide in an overall
     yield of 39%.  Other simultaneous procedures gave poor yields and/or
     extensive oligomers and polymers, in part due to soly. problems.  Further
     soln. synthesis strategies relied on sequential disulfide pairing as
     dictated by the original protection scheme.  A monocyclic, bis(Acm)
     intermediate, with the smaller loop (Cys2 with Cys7) already closed by the
     soln. DMSO oxidn. procedure, was   ***cyclized***   further with
     Tl(O2CCF3)3 (1.2 equiv) in TFA-anisole (19:1) at 4.degree. for 18 h.  The
     resp. oxidn. yields were 62 and 65%, and the final overall yield of
     monomeric   ***conotoxin***   reflecting cleavage from the support and the
     two orthogonal oxidn. steps was 38%.  Alternatively, the same chem. steps
     and soln. conditions were used to test the strategy of forming the larger
     loop (Cys3 with Cys13) first; individual oxidn. steps each proceeded in
     .apprx.50% yield, and   ***conotoxin***   was obtained in an overall yield
     of 23%.  Simultaneous or orthogonal disulfide bond formation was also
     examd. while the peptide remained anchored to the polymeric support.  The
     most promising results started with the appropriate resin-bound precursor,
```

which was treated with TFA-CH2Cl2-Et3SiH-H2O-anisole (7:92:0.5:0.5:0.5), 2 .times. 15 min at 25.degree. to remove selectively S-Tmob groups from Cys2 and Cys7 without significant loss of chains from the support. The resultant resin-bound dithiol was oxidized with 35 mM CCl4-Et3N (2 equiv each) in N-methylpyrrolidinone for 4 h at 20.degree. to provide a resin-bound monocyclic bis(Acm) intermediate, which was oxidized further with Tl(O2CCF3)3 (2 equiv) in DMF-anisole (19:1) for 18 h at 4.degree.. After acidic cleavage, overall yields of monomeric ***conotoxin*** were as high as 14%. Addnl. oligomeric material is apparently incorporated as a network which is retained on the support, accounting for the reduced yields (25-50%, resp. with polystyrene and polyethylene glycol-polystyrene graft supports) obsd. after cleavage of the peptidyl-PAL anchoring linkage. The polymer-supported routes are amenable to further optimization and may offer several advantages over soln. methods.

```
=> d his

     (FILE 'HOME' ENTERED AT 08:11:08 ON 28 MAR 2003)

     FILE 'MEDLINE, CAPLUS, BIOSIS, EMBASE, SCISEARCH, AGRICOLA' ENTERED AT
     08:11:38 ON 28 MAR 2003
L1             1 S CYCLI? CONOTOXIN
L2         14277 S CONOTOXIN
L3           333 S L2 (P) CYCLI?
L4             2 S L3 (P) AMIDE
L5             1 DUPLICATE REMOVE L4 (1 DUPLICATE REMOVED)
L6             1 S L5 NOT L1

=> s  peptide linker
L7           877 PEPTIDE LINKER

=> s l3 (p) l7
L8             0 L3 (P) L7

=> s disulfide
L9        198955 DISULFIDE

=> s l9 (p) l3
L10           26 L9 (P) L3

=> duplicate remove l10
DUPLICATE PREFERENCE IS 'MEDLINE, CAPLUS, BIOSIS, EMBASE, SCISEARCH'
KEEP DUPLICATES FROM MORE THAN ONE FILE?  Y/(N):n
PROCESSING COMPLETED FOR L10
L11           11 DUPLICATE REMOVE L10 (15 DUPLICATES REMOVED)

=> s amide link?
L12         5040 AMIDE LINK?

=> s l3 (p) l12
L13            0 L3 (P) L12

=> d his

     (FILE 'HOME' ENTERED AT 08:11:08 ON 28 MAR 2003)

     FILE 'MEDLINE, CAPLUS, BIOSIS, EMBASE, SCISEARCH, AGRICOLA' ENTERED AT
     08:11:38 ON 28 MAR 2003
L1             1 S CYCLI? CONOTOXIN
L2         14277 S CONOTOXIN
L3           333 S L2 (P) CYCLI?
L4             2 S L3 (P) AMIDE
L5             1 DUPLICATE REMOVE L4 (1 DUPLICATE REMOVED)
L6             1 S L5 NOT L1
L7           877 S  PEPTIDE LINKER
L8             0 S L3 (P) L7
L9        198955 S DISULFIDE
L10           26 S L9 (P) L3
L11           11 DUPLICATE REMOVE L10 (15 DUPLICATES REMOVED)
L12         5040 S AMIDE LINK?
```

L13 0 S L3 (P) L12

=> log y

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	30.33	30.54

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-1.30	-1.30

STN INTERNATIONAL LOGOFF AT 08:16:59 ON 28 MAR 2003

=> d his

(FILE 'HOME' ENTERED AT 08:11:08 ON 28 MAR 2003)

FILE 'MEDLINE, CAPLUS, BIOSIS, EMBASE, SCISEARCH, AGRICOLA' ENTERED AT
08:11:38 ON 28 MAR 2003
L1 1 S CYCLI? CONOTOXIN
L2 14277 S CONOTOXIN
L3 333 S L2 (P) CYCLI?
L4 2 S L3 (P) AMIDE
L5 1 DUPLICATE REMOVE L4 (1 DUPLICATE REMOVED)
L6 1 S L5 NOT L1
L7 877 S PEPTIDE LINKER
L8 0 S L3 (P) L7
L9 198955 S DISULFIDE
L10 26 S L9 (P) L3
L11 11 DUPLICATE REMOVE L10 (15 DUPLICATES REMOVED)
L12 5040 S AMIDE LINK?
L13 0 S L3 (P) L12

=> log y